


Vehicle History Report

VEHICLE DETAILS

Chassis number ¹ :	GGH20-8059382	Title information ² :	1	Registered	0
Manufacture date:	2012	As side of (Devision	ĭ ⇒	Ne overheime	•
Make:	ΤΟΥΟΤΑ	Accident / Repair:	1-2	No problem	
Model:	VELLFIRE	Odometer rollback:		No problem	\bigcirc
Body:	DBA-GGH20W	Manufacturer recall:	6	No problem	0
Grade:	3.5Z G EDITION			·	
Engine:	2GR-FE	Safety grade ³ :	6	*****	0
Drive:	2WD	Contamination risk:		No problem	0
Transmission:	AT				

This vehicle does not qualify for Buyback Guarantee

Average Market Price





About Buyback Guarantee

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2024-05-29 05:12:08. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD. Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2021-03-10	MLIT	60500
2023-03-06	MLIT	75500
2024-05-06	JU Kyouyuu	82670
2024-05-11	JU Nara	82670
2024-05-14	JU Mie	82670
2024-05-23	lppatsu Stock	82670

USE HISTORY



2021-03-10		60500	MLIT	Inspection
2023-03-06	Nara	75500	MLIT	Inspection
2024-03-28	Nara		MLIT	Last registration
2024-05-06		82670	JU Kyouyuu	Auctioned
2024-05-11	Nara	82670	JU Nara	Auctioned
2024-05-14	Mie	82670	JU Mie	Auctioned
2024-05-23		82670	lppatsu Stock	Auctioned

MANUFACTURER RECALL HISTORY

Date reported	Data source	Affected part	Details
Not reported			


VEHICLE ASSESSMENT

Overall Collision Safety Ratings

	Driver's	seat		Front passeng	er's seat
Points	Evaluation	Goal average	Points	Evaluation	Goal average
34.46	*****	96%	23.51	*****	98%

* In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

Braking performance tests ⁷



VEHICLE SPECIFICATION

1st gear ratio	3.300	2nd gear ratio	1.900
3rd gear ratio	1.420	4th gear ratio	1.000
5th gear ratio	0.713	6th gear ratio	0.608
Additional notes	NFTSK	Airbag position, capacity	
Body rear overhang	1015	Body type	STATION WAGON
Chassis number embossing position	FRONT FLOOR CROSSMEMBER RIGHT SIDE ON SURFACE	Classification code	0211
Cylinders	V6 WIDTH	Displacement	3450
Electric engine type	-	Electric engine maximum output	-
Electric engine maximum torque	-	Electric engine power	-
Engine maximum power	280ps(206kW)/6200rpm	Engine maximum torque	35.1kg∙ m(344N∙ m)/4700rpm
Engine model	2GR	Frame type	SOLID STRUCTURE
Front shaft weight	1150	Front shock absorber type	
Front stabilizer type	TORSION BAR TYPE	Front tires size	235/50R18 97V
Front tread	1.555	Fuel consumption	9.2
Fuel tank equipment	65	Grade	3.5Z G EDITION
Height	1.900	Length	4.885
Main brakes type		Make	ΤΟΥΟΤΑ
Maximum speed	180	Minimum ground clearance	0.170
Minimum turning radius	5.9	Model	VELLFIRE
Model code	DBA-GGH20W	Mufflers number	
Rear shaft weight	870	Rear shock absorber type	
Rear stabilizer type	-	Rear tires size	235/50R18 97V
Rear tread	1.560	Reverse ratio	4.148

Riding capacity	7	Side brakes type	
Specification code	16088	Stopping distance	50(100)
Transmission type	AT	Weight	2020
Wheel alignment	2WD	Wheelbase	2.950
Width	1.840		

AUCTION DATA

Date: 2024-05-06, Auction: JU Kyouyuu, Lot #: 36096

Date:	2024-05-06	Lot #:	36096
Auction name:	JU Kyouyuu	Region:	
Make:	ΤΟΥΟΤΑ	Model:	VELLFIRE
Reg. year:	2012	Mileage (km):	82670
Displacement (cc):	3500	Transmission:	IAT
Color:	PEARL	Model code:	GGH20W
Result:	available	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	ОК
Date: 2024-05-11, Auctior	n: JU Nara, Lot #: 44		
Date:	2024-05-11	Lot #:	44
Auction name:	JU Nara	Region:	Nara
Make:	ΤΟΥΟΤΑ	Model:	VELLFIRE
Reg. year:	2012	Mileage (km):	82670
Displacement (cc):	3500	Transmission:	IAT
Color:	PEARL	Model code:	GGH20W
Result:	unsold	Auction grade:	4
Problem type:	No problem	Problem scale:	None

Airbag:

OK

Date: 2024-05-14, Auction: JU Mie, Lot #: 5508

No

Contaminated:

Date:	2024-05-14	Lot #:	5508
Auction name:	JU Mie	Region:	Mie
Make:	ΤΟΥΟΤΑ	Model:	VELLFIRE
Reg. year:	2012	Mileage (km):	82670
Displacement (cc):	3500	Transmission:	IAT
Color:	PEARL	Model code:	GGH20W
Result:	unsold	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	ОК

Date: 2024-05-23, Auction: Ippatsu Stock, Lot #: 44

Date:	2024-05-23	Lot #:	44
Auction name:	lppatsu Stock	Region:	
Make:	ΤΟΥΟΤΑ	Model:	VELLFIRE
Reg. year:	2012	Mileage (km):	82670
Displacement (cc):	3500	Transmission:	IAT
Color:	PEARL	Model code:	GGH20W
Result:	available	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	ОК

PHOTOS AND AUCTION SHEETS

出品番号初度登録年月	車名・グレード ,	9		200	評	僑 点
(T1)				4.00		1
6202404 <u>24 3 月</u>	ヴェルファイア 排気量	3.52 G		✓	行外裂	一人
13968				4.33	¥ o	R
IDBA - GGH	120W 3500 CC	レールスポイ セールスポイ		ハンドル 左・: 機能するも		<u> 12</u> ます)
自家用・() IAT	、両側パ	タースウイド	FP '		
職 7年3月()	26 日) AAC	. TF . T	V . 15-7 07	5 . ET	C	
8万1千670	/ 燃料					
h .: (#D-	-ド 軽油		、) ド ? · · · · · · · · · · · · · · · · · ·		and the second se	新車保護
パール	070 ()	ES/E	W ABS	1-78	AW	便・無
	変期限 月 日	SR +	E TV	カウ		G: m
10,300	よ具体的に記入して下さい)	後日品	<u>, AZ , TË A</u>		• •	
70,300 主意事項申告欄 (不具合内容等は 修復歴 有 (箇所	は具体的に記入して下さい))	_ 後日品 (<u>余</u>	II. TË	42		
<u>10,300</u> 主意事項申告欄 (不具合内容等に 修復歴 有 (箇所 検査員 FW キズ・飛石・ヒ		_ 後日品 (<u>余</u>	. IZ. TE			Ð
10.300 主意事項申告欄 (不具合内容等に 修復歴 有 (箇所 塗査員 FW キズ・飛石・ヒ 2入欄 内装 キズ・汚し・コク	t具体的に記入して下さい)) ビ 割・リ ペ ア 跡・X 要	_ 後日品 (<u>余</u>	ER. TEL			
10.300 主意事項申告欄 (不具合内容等に 修復歴 有 (箇所 修復歴 月 (箇所 注査員 FW キズ・飛 石・ヒ 己入欄 内装 ギズ・汚 ワ・コク トA・ U	t具体的に記入して下さい)) ビ 割・リ ペ ア 跡・X 要	_ 後日品 (<u>余</u>	ER. TEL			
10.300 主意事項申告欄 (不具合内容等に 修復歴 有 (箇所 修復歴 有 (箇所 検査員 FW キズ・飛 石・ヒ 己入欄 内装 ギズ・汚 ワ・コク	t具体的に記入して下さい)) ビ 割・リ ペ ア 跡・X 要	_ 後日品 (<u>余</u>				
10.300 主意事項申告欄 (不具合内容等に 修復歴 有 (箇所 修復歴 有 (箇所 検査員 FW キズ・飛 石・ヒ 己入欄 内装 ギズ・汚 ワ・コク	t具体的に記入して下さい)) ビ 割・リ ペ ア 跡・X 要				A1 41 42	
10.300 主意事項申告欄 (不具合内容等に 修復歴 有 (箇所 修復歴 月 (箇所 注査員 FW キズ・飛 石・ヒ 己入欄 内装 ギズ・汚 ワ・コク トA・ U	t具体的に記入して下さい)) ビ 割・リ ペ ア 跡・X 要				A1 41 42	
10.300 主意事項申告欄 (不具合内容等に 修復歴 有 (箇所 修復歴 月 (箇所 注査員 FW キズ・飛 石・ヒ 己入欄 内装 ギズ・汚 ワ・コク トA・ U	t具体的に記入して下さい)) ビ 割・リ ペ ア 跡・X 要				A1 41 42	
<u>70,300</u> 主意事項申告欄 (不具合内容等は 修復歴 有 (箇所 経査員 FW キズ・飛 石・ヒ 已入欄 内装 ギズ・汚 (D・コク トA・ U トル : (デデラ - A	t具体的に記入して下さい)) ビ 割・リ ペ ア 跡・X 要			*	A1 A2 0	
10,300 主意事項申告欄 (不具合内容等): 修復歴 有 (箇所 ◆査員 FW キ ズ・飛 石・ヒ	は具体的に記入して下さい)) ビ 割・リ ペ ア 跡・X 要 ⁻ ・穴・ス(レ)・キ レ・破 レ /	後日品 (後日品 (人 (人 (人 (人 (人 (人 (人 (人 (人 (人		*	A1 A2 0	



出品番号	初度登録年月	車名·	グレード	,		2WD	評価点
^[1736]	<u>2</u> 4 型式	3月 7	<u>ブェルフォイア</u> 排気量	3.52 G	シュディション	4WD	4 外装内装
	\$20,500 T	GG H201	'	<u> ち</u> 形状 積	7 人 モデ 載		外装内装 BB
10000	ー し (用 ・ () >71 IAT	/ セールスボ		能するもの	いに限ります)
車検 <u>ク</u> 走行 7	年 3	月(26 E	/ 治房 3) AAC 燃料	/	マ・バークカメラ		
たけ 多) 色	1	<u>7 0 km</u> 色コード	^{加料} ガシリン 軽油		ニノド子 - 7 (練正品に限り丸を		
<u>パール</u> R券	/ 色替	<u>070</u> 名変期限	(PW 1 000 /	1781	AW ⑦·無
注意事項申告	360 1	122001+日/+6	に記入して下さい	1 後日品) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	1.取.形取	2402+	
注思争攻中百	他 (小具百)	3423710-969993	ALACKOC PEU	17			
		9 63 (7 16 96 1941)		17		42)
修復歴 検査員 FW	有 (箇所 キズ・飛る	シ・ヒビ割・) ・リ ベ ア 跡・X	12			, D
修復歴 検査員 FW 記入欄 内装	有 (箇所 キズ・飛る	シ・ヒビ割・)	12	P	**))
修復歴 検査員 FW 記入欄 内装	有 (箇所 + ズ・飛 キズ・汚り	シ・ヒビ割・) ・リ ベ ア 跡・X	12	S F	**	AI
修復歴 検査員 FW 記入欄 内装	有 (箇所 + ズ・飛 キズ・汚り	シ・ヒビ割・) ・リ ベ ア 跡・X		P	**	
	有 (箇所 + ズ・飛 キズ・汚り	シ・ヒビ割・) ・リ ベ ア 跡・X		D E	**	A1 42
修復歴 検査員 FW 記入欄 内装	<u>有 (箇所</u> <u>キズ・飛</u> マス・汚つ Psラ - A	シ・ヒビ割・) ・リ ペ ア 跡・X ス(レ)・キ レ・破				A1 42 5







映像出品)搬出は落札日含む4日後13時、JU三重からの搬出となります。下見代行不可。

H8201	初度登録年月	車名・グレ	-к ,	5		2WD	N 8 A
5508	3 24 3	я 17.	レファイテ 胡気量	3.52 G1.	71-	4WD	44 BAB
	DBA - GO	HZOW	3500 00			¥ ル 左・ち	BB
¹² 自家	明・()	141		ト(正常に機能 スフイドドア		表ります)
2	年3月	(26 日)	AAC	·	15-7 8+7	ETC	
E17 0	5. 4 6 2	0 10	11 HOW /	137-13-7	· · · ·	34 27- 1 '	
	/ 8# ²	-+ 070	₩ <u>;</u> ;#a ()	1 (M)	ALAUAED	(7 B' AV	54022
<u>۸،</u> #۶	360 13	名安期限	月 日	1 00 +0	TV	אל אל	• @· #
主意事项申望	告欄 (不具合内容	·/ · · · · · · · · · · · · · · ·	2入して下さい)	1#	R. TER.	2 2	
修復歷	有 (箇所)	ſ	-γ ρ -	=V~-	٦
接受 FW	+ X. H B.	ヒビ創・リコゲ・穴・ズ	ペア跡·X重 D·キレ·酸L	j O		\rightarrow	Ð
I-A. U	19 19			- "	1-	- AI	
	F=7·A						
				L	E	- 12	لل
			(1))))))))))))))))))))))))))))))))))))	5)		Þ
	91.2 m 12		1999 T 2000	D'	25		1
				127	41		
				A-42 E-196 U-3A	M-MCB 1-4K	C-## XX-9#3	
東台番号	GGH20 -	80593	82 '	Scazas 1608		2234	<u>+</u> //



出品番号	初度登録年月	車名·	グレード	,		2WD	評価点
^[1736]	<u>2</u> 4 型式	3月 7	<u>ブェルフォイア</u> 排気量	3.52 G	シュディション	4WD	4 外装内装
	\$20,500 T	GG H201	'	<u> ち</u> 形状 積	7 人 モデ 載		外装内装 BB
10000	ー し) >71 IAT	/ セールスボ		能するもの	いに限ります)
車検 <u>ク</u> 走行 7	年 3	月(26 E	/ 治房 3) AAC 燃料	/	マ・バークカメラ		
たけ 多) 色	1	<u>7 0 km</u> 色コード	^{加料} ガシリン 軽油		ニノド子 - 7 (練正品に限り丸を		
<u>パール</u> R券	/ 色替	<u>070</u> 名変期限	(PW 1 000 /	エアヨイカウ	AW ⑦·無
注意事項申告	360 1	122001+日/+6	に記入して下さい	1 後日品) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	1.取.形取	2402+	
注思争攻中百	他 (小具百)	3423710-969993	ALACKOC PEU	17			
		9 63 (7 16 96 1941)		17		42)
修復歴 検査員 FW	有 (箇所 キズ・飛る	シ・ヒビ割・) ・リ ベ ア 跡・X	12			, D
修復歴 検査員 FW 記入欄 内装	有 (箇所 キズ・飛る	シ・ヒビ割・)	12	P	**))
修復歴 検査員 FW 記入欄 内装	有 (箇所 + ズ・飛 キズ・汚り	シ・ヒビ割・) ・リ ベ ア 跡・X	12	S F	**	AI
修復歴 検査員 FW 記入欄 内装	有 (箇所 + ズ・飛 キズ・汚り	シ・ヒビ割・) ・リ ベ ア 跡・X		P	**	
	有 (箇所 + ズ・飛 キズ・汚り	シ・ヒビ割・) ・リ ベ ア 跡・X		D E	**	A1 42
修復歴 検査員 FW 記入欄 内装	<u>有 (箇所</u> <u>キズ・飛</u> マス・汚つ Psラ - A	シ・ヒビ割・) ・リ ペ ア 跡・X ス(レ)・キ レ・破				A1 42 5



¹ Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

² Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped Deregistered to Export – not qualified for driving in Japan , the vehicle is determined to be exported

³ Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

⁴ **Use in the contaminated regions** – The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.

⁵ Radioactive contamination test – radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT - Ministry of Land, Infrastructure, Transport and Tourism.

⁶ Japan New Car Assessment Program – the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test , rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.

⁷ **Braking Performance Tests** – Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2024 Car VX Limited. All rights reserved.