

Vehicle History Report

VEHICLE DETAILS

Chassis number 1: RC1-1012763

Manufacture date: 2013-12-21

Make: HONDA

Model: ODYSSEY

Body: DBA-RC1

Grade: ABSOLUTE EX

Engine: K24W

Drive: 2WD

Transmission: AT

Title information ²:

Registered

Accident / Repair:

ĭÞ

No problem

1 📀

Odometer rollback:



No problem

n 🕗

Manufacturer recall:



No problem

 \bigcirc

Safety grade ³:



igstyle

Contamination risk:



No problem

igstar

This vehicle does not qualify for Buyback Guarantee

Average Market Price



Unfortunately, this vehicle does not qualify for our Buyback Guarantee program.





About Buyback Guarantee

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2024-07-18 22:49:38. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD. Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2020-12-22	MLIT	63400
2022-12-12	MLIT	85000
2024-07-04	JU Kanagawa	91313

USE HISTORY

Use in the contaminated regions ⁴ Radioactive contamination test fail ⁵ Commercial use

Not reported

Not reported

Not reported

DETAILED HISTORY

Event date	Location	Odometer reading (Km)	Data source	Details
2013-12-21			HONDA	Manufactured
2014-01			MLIT	First registration
2020-12-22		63400	MLIT	Inspection
2022-12-12	Yokohama	85000	MLIT	Inspection
2024-07-04	Kanagawa	91313	JU Kanagawa	Auctioned

2024-07-08 Yokohama MLIT Last registration

MANUFACTURER RECALL HISTORY

Date reported Data source Affected part Details

Not reported

VEHICLE ASSESSMENT •

Overall Collision Safety Ratings

Driver's seat		Front passenger's seat			
Points	Evaluation	Goal average	Points	Evaluation	Goal average
32.88	****	91%	23.22	****	97%

^{*} In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

Braking performance tests 7



VEHICLE SPECIFICATION


Additional notes	Airbag position, capacity	
5th gear ratio	6th gear ratio	
3rd gear ratio	4th gear ratio	
1st gear ratio	2nd gear ratio	

Chassis number embossing position		Classification code	48
Cylinders	4	Displacement	2350
Electric engine type		Electric engine maximum output	
Electric engine maximum torque		Electric engine power	
Engine maximum power	190PS(140KW)/6400RPM	Engine maximum torque	24.2KG· M(237N· M)/4000RPM
Engine model	K24W	Frame type	
Front shaft weight	1000	Front shock absorber type	
Front stabilizer type		Front tires size	225/45R18 91W
Front tread	1560	Fuel consumption	
Fuel tank equipment	55	Grade	ABSOLUTE EX
Height	168	Length	483
Main brakes type		Make	HONDA
		Minimum ground	
Maximum speed		clearance	
Maximum speed Minimum turning radius	5.4	=	ODYSSEY
·	5.4 DBA-RC1	clearance	ODYSSEY
Minimum turning radius		clearance	ODYSSEY
Minimum turning radius Model code	DBA-RC1	clearance Model Mufflers number Rear shock absorber	ODYSSEY 225/45R18 91W
Minimum turning radius Model code Rear shaft weight	DBA-RC1	clearance Model Mufflers number Rear shock absorber type	
Minimum turning radius Model code Rear shaft weight Rear stabilizer type	DBA-RC1 830	clearance Model Mufflers number Rear shock absorber type Rear tires size	
Minimum turning radius Model code Rear shaft weight Rear stabilizer type Rear tread	DBA-RC1 830 1560	clearance Model Mufflers number Rear shock absorber type Rear tires size Reverse ratio	
Minimum turning radius Model code Rear shaft weight Rear stabilizer type Rear tread Riding capacity	DBA-RC1 830 1560 7	Clearance Model Mufflers number Rear shock absorber type Rear tires size Reverse ratio Side brakes type	
Minimum turning radius Model code Rear shaft weight Rear stabilizer type Rear tread Riding capacity Specification code	DBA-RC1 830 1560 7 17637	Clearance Model Mufflers number Rear shock absorber type Rear tires size Reverse ratio Side brakes type Stopping distance	225/45R18 91W

Date: 2024-07-04, Auction: JU Kanagawa, Lot #: 6225

Date:	2024-07-04	Lot #:	6225
Auction name:	JU Kanagawa	Region:	Kanagawa
Make:	HONDA	Model:	ODYSSEY
Reg. year:	2014	Mileage (km):	91313
Displacement (cc):	2400	Transmission:	AT
Color:	PURPLE	Model code:	RC1
Result:	sold	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	ОК

PHOTOS AND AUCTION SHEETS


























GLOSSARY

¹ Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

² Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

³ Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

- ⁴ Use in the contaminated regions The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.
- ⁵ Radioactive contamination test radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT - Ministry of Land, Infrastructure, Transport and Tourism.

- ⁶ Japan New Car Assessment Program the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.
- ⁷ Braking Performance Tests Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2024 Car VX Limited. All rights reserved.