

# **Vehicle History Report**

## **VEHICLE DETAILS**

Chassis number <sup>1</sup>: RK5-1222327

Manufacture date: 2012-03-27

Make: HONDA

Model: STEPWGN

Body: DBA-RK5

Grade: SPADA S

Engine: R20A

**Drive**: 2WD

Transmission: AT

Title information <sup>2</sup>:

Deregistered to Export

S.0.00 10

Accident / Repair:

ĭ

No problem

 $\bigcirc$ 

Odometer rollback:

No problem

 $\bigcirc$ 

Manufacturer recall:



No problem

 $\bigcirc$ 

Safety grade <sup>3</sup>:



\*\*\*\*\*

 $\bigcirc$ 

Contamination risk:



No problem

igoredown

#### This vehicle does not qualify for Buyback Guarantee

**Average Market Price** 



Unfortunately, this vehicle does not qualify for our Buyback Guarantee program.





**About Buyback Guarantee** 

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2024-08-22 15:39:31. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD. Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

# **ACCIDENT / REPAIR HISTORY**

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

## **ODOMETER READINGS HISTORY**

Date reported	Data source	Odometer reading (Km)
2021-04-16	MLIT	88200
2023-03-29	MLIT	105200
2024-07-08	Honda Tokyo	116000
2024-08-01	USS Tokyo	116142
2024-08-07	CAA Kyouyuu	116142

# **USE HISTORY**

Use in the contaminated regions <sup>4</sup>	Radioactive contamination test fail <sup>5</sup>	Commercial use
Not reported	Not reported	Not reported

# DETAILED HISTORY

Event date	Location	Odometer reading (Km)	Data source	Details
2012-03-27			HONDA	Manufactured
2012-04			MLIT	First registration
2021-04-16		88200	MLIT	Inspection

2023-03-29	Yokohama	105200	MLIT	Inspection
2024-07-08	Tokyo	116000	Honda Tokyo	Auctioned
2024-08-01	Chiba	116142	USS Tokyo	Auctioned
2024-08-07		116142	CAA Kyouyuu	Auctioned
2024-08-09	Yokohama		MLIT	Last registration

## **MANUFACTURER RECALL HISTORY**

Date reported	Data source	Affected part	Details
Not reported			


## **VEHICLE ASSESSMENT** 5

#### **Overall Collision Safety Ratings**

	Driver's s	eat		Front passeng	er's seat
Points	Evaluation	Goal average	Points	Evaluation	Goal average
34.68	****	96%	22.89	*****	95%

<sup>\*</sup> In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

## Braking performance tests 7



## **VEHICLE SPECIFICATION**

1st gear ratio	2.470 ~ 0.450( MANUAL MODE ATTACHING)	2nd gear ratio	-
3rd gear ratio	-	4th gear ratio	-

5th gear ratio	-	6th gear ratio	-
Additional notes	-	Airbag position, capacity	-
Body rear overhang	950	Body type	MV&1BOX
Chassis number embossing position	BONNET INSIDE DASH BOARD UPPER FRONT SURFACE	Classification code	0062
Cylinders	4	Displacement	1990
Electric engine type	-	Electric engine maximum output	-
Electric engine maximum torque	-	Electric engine power	-
Engine maximum power	110/6200( NET)	Engine maximum torque	193/4200( NET)
Engine model	R20A	Frame type	SOLID STRUCTURE
Front shaft weight	910	Front shock absorber type	
Front stabilizer type	TORSION · BAR TYPE	Front tires size	205/60R16 92H DESIGNATION EQUIPMENT ETC.
Front tread	1.470	Fuel consumption	14.0
Fuel tank equipment	60	Grade	SPADA S
Height	1.815	Length	4.690
Main brakes type	HYDRAULIC TYPE · FRONT DISK · BACK DISK	Make	HONDA
Maximum speed	180	Minimum ground clearance	0.155
Minimum turning radius	5.3	Model	STEPWGN
Model code	DBA-RK5	Mufflers number	1; 2
Rear shaft weight	700	Rear shock absorber type	
Rear stabilizer type	TORSION: BAR TYPE	Rear tires size	205/60R16 92H DESIGNATION EQUIPMENT ETC.
Rear tread	1.460	Reverse ratio	1.735 ~ 1.214

Riding capacity	8	Side brakes type	MACHINE CAR WHEEL SHAPE ( DRUM TYPE)
Specification code	16365	Stopping distance	53(100)
Transmission type	AT	Weight	1610
Wheel alignment	2WD	Wheelbase	2.855
Width	1.695		

# **AUCTION DATA**

Date: 2024-07-08, Auction: Honda Tokyo, Lot #: 20057

Date:	2024-07-08	Lot #:	20057
Auction name:	Honda Tokyo	Region:	Tokyo
Make:	HONDA	Model:	STEPWGN SPADA
Reg. year:	2012	Mileage (km):	116000
Displacement (cc):	2000	Transmission:	AT
Color:	BLACK	Model code:	RK5
Result:	sold	Auction grade:	3.5
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK


## Date: 2024-08-01, Auction: USS Tokyo, Lot #: 86661

Date:	2024-08-01	Lot #:	86661
Auction name:	<u>USS Tokyo</u>	Region:	Chiba
Make:	HONDA	Model:	STEPWGN SPADA
Reg. year:	2012	Mileage (km):	116142
Displacement (cc):	2000	Transmission:	AT
Color:	BLACK	Model code:	RK5
Result:	available	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	ОК

Date: 2024-08-07, Auction: CAA Kyouyuu, Lot #: 18660

Date:	2024-08-07	Lot #:	18660
Auction name:	CAA Kyouyuu	Region:	
Make:	HONDA	Model:	STEPWGN SPADA
Reg. year:	2012	Mileage (km):	116142
Displacement (cc):	2000	Transmission:	AT
Color:	BLACK	Model code:	RK5
Result:	available	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

# **PHOTOS AND AUCTION SHEETS**



























# ロープラコーナー



### O検査長報告

右電格ミラー不良

ルーム内スレキズ汚れ

Dシートヘタリ

Dミラーキズ

各キズ凹補修

関台内寸割

長さ


×

C8 4

×

ca 高さ

(m)



初度登録	車 名		ドア・形状	† / ν – F			原(数)		総合評価点			
24, 4,	ス	テッフ゜ワコ゛	ンスパ゜ーダ	•	5·W			S				1
	型 式		排気量	燃料	東 歴	定員(最大)	積軟量	(最大)	Ni.	入車		4
DBA	RK5		2, 000 <sub>cc</sub>	カ゛ソリン	自家用	8 &		Kg	SE 55.7			_
ミッション	エアコン	カラーNo.	外装	色			装 傷			保証書	政説	內裝評価
AT	WAC	PB81P	ブラック	4	PS	PW	17B	ABS				
AI	AT WAG POOTE	279	2399				PN3					
走名	距離	車 検	登録ナン	) (j		ほか装備		東台	番号	757	毛金	ы
116,	132 <sub>km</sub>	7 # 4 g	名変	中				RK5-12	222327	13,	840 <sub>円</sub>	_

110,102km / 年 7 月	- H&	ино такает
セールスポイント	特記事項・不具合箇所	
★ナビ★フルセグ ★左側パワースライドドア ★パックモニター★ETC ★HIDヘッドライト	内装汚れ 内張り傷 シートすれ ハンドルすれ リヤバンパー仕上げ跡 カーペットすれ	A1 W2 U1 A1 A1
		[ 5 ] W2 [ 5 ] A1
	<u> </u>	□ 気 (請)・C (路食)・X X (交換済み)・X (要交換)・G (ガラス走キス) ver. 000000







## **GLOSSARY**

<sup>1</sup> Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

#### <sup>2</sup> Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

<sup>3</sup> Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

- <sup>4</sup> Use in the contaminated regions The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.
- <sup>5</sup> Radioactive contamination test radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT - Ministry of Land, Infrastructure, Transport and Tourism.

- <sup>6</sup> Japan New Car Assessment Program the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.
- <sup>7</sup> Braking Performance Tests Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2024 Car VX Limited. All rights reserved.